


C.I.P.	45 Colt (carb) Country of Origin: US	TAB. IV
		Date 84-06-14
		Revision 95-05-10
	<b>CARTRIDGE MAXI</b>  <b>Lengths</b> L1 = L2 = L3 = L4 = L5 = L6 =  <b>Case Head</b> R = R1 = R3 = E = E1 = e min = $\delta$ = f = $\beta$ =  <b>Powder Chamber</b>  P1 = P2 =  <b>Junction Cone</b> $\alpha$ = S = r1 min = r2 =  <b>Collar</b> H1 = H2 =  <b>Projectile</b> G1 = G2 = F = L3+G =  <b>Pressures (Energies)</b> <b>Method Crusher</b> Pmax = 1100 bar PK = 1265 bar PE = 1430 bar M =  <b>Miscellaneous Dimensions</b> Fe <sup>1)</sup> = 0.15 delta L =	<b>CHAMBER MINI</b>  <b>Lengths</b> L1 = L2 = L3 <sup>1)</sup> = 32.89  <b>Breech</b> R <sup>1)</sup> = 1.52 R1 = 13.11 R2 = R3 = r =  <b>Powder Chamber</b> E = P1 <sup>1)</sup> = 12.37 P2 =  <b>Junction Cone</b> $\alpha$ = S = r1 max = r2 =  <b>Collar</b> H1 = H2 <sup>1)</sup> = 12.19  <b>Commencement of Rifling</b> G1 <sup>1)*</sup> = 12.19 G <sup>1)</sup> = 3.53 $\alpha$ l * = h = s = i <sup>1)*</sup> = 7°45' w =  <b>Barrel</b> F <sup>1)*</sup> = 11.23 Z <sup>1)</sup> = 11.43  <b>Grooves</b> b = 3.96 N = 6 u = 406.00 Q = 101.48 mm <sup>2</sup>
	 <p>Scale 1:1</p>	
Dimensions in << mm >>		Notes: 1) Check for safety reasons * Basic dimensions